



## ONE-STOP SOLUTION

Smart Air Series LED Balloon Light Tower



Air-XS Series 60W-240W

Air-S Series 320W

Air-M Series 500W-600W





Air-L Series 700W-800W

Air-XL Series 1000W-1200W


Air-Max Series 1400W

# LED BALLOON LIGHT TOWER

APPLICABLE TO VARIOUS SCENARIOS



## GROUND COVERAGE OF ILLUMINATION



Data for reference only, actual values may differ.



## LED BALLOON LIGHT TOWER

60W-240W  
Air-XS

320W  
Air-S

500W-600W  
Air-M

700W-800W  
Air-L

1000W-1200W  
Air-XL

1400W  
Air-MAX



5-YEAR WARRANTY



#### FEATURES

60W~240W Dimmable.

Foldable tripod and cover; Lightweight; Portable; Easy quick setup.

Glare-free; Diffused light; 360° illumination; Dimmable.

Weather resistance; Life span > 50,000hrs; Low maintenance.

Balloon material: Waterproof, translucent, anti-UV, flame-retardant.

Filtration device: Prevent mosquitoes, dust, and other dirt from entering the lamp.

#### ACCESSORIES



#### SPECIFICATIONS

Lamp	Model	BL-60W-B	BL-150W-B	BL-240W-B
	Power	60W	150W	240W
	Voltage	AC100-277V	AC100-277V	AC100-277V
	Frequency	50/60Hz	50/60Hz	50/60Hz
	PF	≥0.95	≥0.95	≥0.95
	Cable length	5 meters	5 meters	5 meters
	LED Chips	Lumileds	Lumileds	Lumileds
	Lumen	9600lm	2400lm	38400lm
	CRI	≥70Ra	≥70Ra	≥70Ra
	CCT	5000K	5000K	5000K

Tripod	Height(min-max)	1050-2000mm	1050-2000mm	1050-2000mm
	Net Weight	4.5kg	4.5kg	4.5kg
	Collapsed Height	1050mm	1050mm	1050mm
	Collapsed width	110mm	110mm	110mm

#### ACCESSORIES



#### INTELLIGENT CONTROL



Two gear dimming

#### DIMENSIONS

LED LUMEN UP TO 38400 LM





High Efficiency  
160 lm/W



360° illumination



Diffused Light



No Glare



IP54



Easy Setup



Dimmable




Rapid Heat Dissipation

**AIR-S**  
**320W**



5-YEAR WARRANTY



#### FEATURES

320W Dimmable.

Foldable tripod and cover; Lightweight; Portable; Easy quick setup.

Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch.

Weather resistance; Life span > 50,000hrs; Low maintenance.

Balloon material: Waterproof, translucent, anti-UV, flame-retardant.

Filtration device: Prevent mosquitoes, dust, and other dirt from entering the lamp.

#### SPECIFICATIONS


<b>Lamp</b>	Model	BL-320W-B
	Power	320W
	Voltage	AC100-277V
	Frequency	50/60Hz
	PF	≥0.95
	Cable length	5 meters
	LED Chips	Lumileds
	Lumen	51200lm
	CRI	≥70Ra
	CCT	5000K
<b>Tripod</b>	Inflated Dimension	600x410mm
	Lamp Weight	6.8kg
<b>Tripod</b>	Height(min-max)	1050-2000mm
	Net Weight	4.5kg
	Collapsed Height	1050mm
	Collapsed width	110mm

#### ACCESSORIES



#### INTELLIGENT CONTROL

75%  
50%  
100%  
Three gear dimming



#### DIMENSIONS

LED LUMEN UP TO **51200 LM**



High Efficiency  
160 lm/W



360° illumination



Diffused Light



No Glare



IP54



Easy Setup



Dimmable



Rapid Heat Dissipation

**AIR-M**

**500W-600W**



**5-YEAR WARRANTY**

#### FEATURES

500W~600W Dimmable.  
 Foldable tripod and cover; lightweight; Portable; Easy quick setup.  
 Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch.  
 Weather resistance; Life span > 50,000hrs; Low maintenance.  
 Balloon material: Waterproof, translucent, anti-UV, flame-retardant.  
 Filtration device: Prevent mosquitoes, dust, and other dirt from entering the lamp.

#### SPECIFICATIONS


Lamp	Model	BL-500W-B	BL-600W-B
	Power	500W	600W
	Voltage	AC90-305V	AC90-305V
	Frequency	50/60Hz	50/60Hz
	PF	≥0.95	≥0.95
	Cable length	10 meters	10 meters
	LED Chips	Lumileds	Lumileds
	Driver Brand	Inventronics	Inventronics
	Lumen	80000lm	96000lm
	CRI	≥70Ra	≥70Ra
Tripod	CCT	3000K/5000K	3000K/5000K
	Inflated Dimension	Dia640 x H430 mm	Dia640 x H430 mm
	Lamp Weight	7.6kg	7.6kg
	Height(min-max)	1880-3800mm	1880-3800mm
Tripod	Net Weight	12kg	12kg
	Collapsed Height	1880mm	1880mm
	Collapsed width	210mm	210mm

#### ACCESSORIES




## LED BALLOON LIGHT TOWER

#### ACCESSORIES



#### DIMENSIONS

LUMEN UP TO 96000 LM





High Efficiency  
160 lm/W



360° illumination



Diffused Light



No Glare



IP54



Easy Setup



Dimmable



Rapid Heat Dissipation

AIR-L

700W-800W



5-YEAR WARRANTY

## LED BALLOON LIGHT TOWER



### FEATURES

700W~800W Dimmable.  
 Foldable tripod and cover; lightweight; Portable; Easy quick setup.  
 Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch.  
 Weather resistance; Life span > 50,000hrs; Low maintenance.  
 Balloon material: Waterproof, translucent, anti-UV, flame-retardant.  
 Filtration device: Prevent mosquitoes, dust, and other dirt from entering the lamp.


### SPECIFICATIONS

Lamp	Model	BL-700W-B	BL-800W-B
	Power	700W	800W
	Voltage	AC80-305V	AC90-305V
	Frequency	50/60Hz	50/60Hz
	PF	≥0.95	≥0.95
	Cable length	10 meters	10 meters
	LED Chips	Lumileds	Lumileds
	Driver Brand	Inventronics	Inventronics
	Lumen	112000lm	128000lm
	CRI	≥70Ra	≥70Ra
Tripod	CCT	3000K/5000K	3000K/5000K
	Inflated Dimension	Dia830 x H560 mm	Dia830 x H560 mm
	Lamp Weight	9.6kg	9.6kg
	Height(min-max)	1880-3800mm	1880-3800mm
Tripod	Net Weight	12kg	12kg
	Collapsed Height	1880mm	1880mm
	Collapsed width	210mm	210mm

### ACCESSORIES



LED LUMEN UP TO 128000 LM





High Efficiency  
160 lm/W



360° illumination



Diffused Light



No Glare



IP54



Easy Setup



Dimmable



Rapid Heat Dissipation

**AIR-XL**

**1000W-1200W**



**5-YEAR WARRANTY**

## FEATURES

1000W~1200W Dimmable.

Foldable tripod and cover; Lightweight; Portable; Easy quick setup.


Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch.

Weather resistance; Life span > 50,000hrs; Low maintenance.

Balloon material: Waterproof, translucent, anti-UV, flame-retardant.

Filtration device: Prevent mosquitoes, dust, and other dirt from entering the lamp.

## ACCESSORIES



Dimming



Adapter

Safety pin

## SPECIFICATIONS

### Lamp

Model	BL-1000W-B	BL-1200W-B
Power	1000W	1200W
Voltage	AC90-305V	AC90-305V
Frequency	50/60Hz	50/60Hz
PF	≥0.95	≥0.95
Cable length	10 meters	10 meters
LED Chips	Lumileds 2835	Lumileds 2835
Driver Brand	Inventronics	Inventronics
Lumen	160000lm	192000lm
CRI	≥70Ra	≥70Ra
CCT	3000K/5000K	3000K/5000K
Inflated Dimension	Dia1000 x H690 mm	Dia1000 x H690 mm
Lamp Weight	11.3kg	11.3kg

### Tripod

Height(min-max)	1880-3800mm	1880-3800mm
Net Weight	12kg	12kg
Collapsed Height	1880mm	1880mm
Collapsed width	210mm	210mm

## ACCESSORIES

### Tripod



### Light carry bag




Three gear dimming

75%

50%

100%



**LUMEN UP TO 192000 LM**



High Efficiency  
160 lm/W



360° illumination



Diffused Light



No Glare



IP54



Easy Setup



Dimmable



Rapid Heat Dissipation

**AIR-MAX**  
**1400W**



5-YEAR WARRANTY

#### FEATURES

1400W Dimmable.  
 Foldable tripod and cover; Lightweight; Portable; Easy quick setup.  
 Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch.  
 Weather resistance; Life span > 50,000hrs; Low maintenance.  
 Balloon material: Waterproof, translucent, anti-UV, flame-retardant.  
 Filtration device: Prevent mosquitoes, dust, and other dirt from entering the lamp.

#### SPECIFICATIONS


	Model	BL-1400W-B
Lamp	Power	1400W
	Voltage	AC90-305V
	Frequency	50/60Hz
	PF	≥0.95
	Cable length	10 meters
	LED Chips	Lumileds 2835
	Driver Brand	Inventronics
	Lumen	224000lm
	CRI	≥70Ra
	CCT	3000K/5000K
	Inflated Dimension	Dia1200 x H820 mm
	Lamp Weight	13.7kg

Tripod	Height(min-max)	1880-3800mm
	Net Weight	12 kg
	Collapsed Height	1880mm
	Collapsed width	210mm


#### ACCESSORIES



75%  
50%  
100%  
Three gear dimming




LUMEN UP TO 224000 LM



# LED BALLOON LIGHT TOWER

APPLICABLE TO VARIOUS  
SCENARIOS






# LED BALLOON LIGHT TOWER

APPLICABLE TO VARIOUS  
SCENARIOS





E544926



# Accessories

## Cart-S



# Accessories



## Cart-M

Our small folding handcart is sturdy and durable, equipped with universal wheels and brake wheels, easy to operate, flexible, suitable for small energy storage batteries and generators, and is the best choice for solving mobile lighting lighthouses

The color and structure of our carts can be customized



Vehicle Size: 820×545×601mm  
Unfolded Size: 1560×1500×3385mm  
Package Size: 850×600×650mm  
Net Weight: 3kg




# Accessories

## Cart-L



Our small folding handcart is sturdy and durable, equipped with universal wheels and brake wheels, easy to operate, flexible, suitable for small energy storage batteries and generators, and is the best choice for solving mobile lighting lighthouses

**The color and structure of our carts can be customized**





3600W battery



Gasoline generator 3500W

Cart-M with battery

Cart-L with Generator



## ONOR Global Solutions SIA ONOR Lighting Engineering Co., Ltd.

🌐 [www.onorledlighting.com](http://www.onorledlighting.com)

☎ +86 158 20799915

✉ [onor@onorlighting.com](mailto:onor@onorlighting.com)

◎ Add: 4F, Building C, Junxing Optoelectronic Bao'an District, Bao'An District, Shenzhen, China